

Cold Rinse & Filter Taps

Newform compact Filter and Cold Rinse taps are a really useful addition to the kitchen. They are reduced in scale to the normal kitchen taps and should be fitted as a secondary tap in the kitchen.

The Filter taps operate by passing the mains cold water through a 5-micron activated carbon filter resulting in substantially improved water taste. As water passes through the filtration system it re-polarises and when used in household appliances such as kettles and irons can help reduce lime scale build up. The Filter taps are extremely easy to fit and come supplied with all necessary connections to the water supply. The filter should be replaced approximately every 6 months for a family of five. Capacity 5600 litres/1500 gallons.


Cold Rinse taps are ideally used as a secondary tap in the kitchen for food preparation or simply filling the kettle.



Clearwater Ref. POS

April Pull-out Cold Rinse
Chrome £79
Brushed Steel £89


Min. 0.5 bar pressure required
 Max. 2.0 bar
 Pull-out hose length 900mm
 Mounting hole size \varnothing 28mm
 A pressure reducing valve is recommended in high water pressure conditions.



Clearwater Ref. AT1107

Axell Pull-out Cold Rinse
Stainless Steel £99

Min. 0.5 bar pressure required
 Max. 2.0 bar
 Pull-out hose length 900mm
 Mounting hole size \varnothing 28mm
 A pressure reducing valve is recommended in high water pressure conditions.




Newform Ref. 8060

Mini Moon Cold Rinse
Chrome £159
Brushed Steel £196

Newform Ref. 8060F

Mini Moon Cold Filter
Chrome £247
Brushed Steel £286

Min. 1.0 bar pressure required
 Mounting hole size \varnothing 35mm




Newform Ref. 2260

Mini X Cold Rinse
Chrome £127
Brushed Steel £158

Newform Ref. 2260F

Mini X Cold Filter
Chrome £220
Brushed Steel £254

Min. 1.0 bar pressure required
 Mounting hole size \varnothing 35mm




Ref. AT2002
Replacement Cartridge £34



Newform Ref. 2445

X-Trend Pull-out Cold Rinse
Chrome £275
Brushed Steel £318

Min. 1.0 bar pressure required
Pull-out hose length 900mm
Mounting hole size \varnothing 35mm



Quadria 0935 shown with Rettangolo see page 176





Newform Ref. 64280

Ycon Cold Rinse
Chrome £149
Brushed Steel £198

Newform Ref. 64280F

Ycon Cold Filter
Chrome £241
Brushed Steel £291

Min. 1.0 bar pressure required
Mounting hole size \varnothing 35mm



Gessi Ref. 0935

Quadria Cold Rinse
Chrome £275
Brushed Steel £359

Gessi Ref. 0935F

Quadria Cold Filter
Chrome £361
Brushed Steel £443


Min. 1.0 bar pressure required
Mounting hole size \varnothing 35mm




swich

A twist of the Swich will transform your kitchen tap, new or old, into a filtered water tap delivering a constant supply of crystal clear filtered water for all the family to enjoy.

For the first time, you are not restricted in the style of tap you can have in your kitchen. The addition of the Swich water filter diverter will allow you to simply and quickly convert any manufacturer's kitchen tap to supply filtered water, improving the overall taste, appearance and quality of your drinking water without the need to compromise on style.





Filter Facts

The Switch and the Filter Taps shown on these pages use the same filtering principles; standard tap water passing over the 5-micron activated carbon filter reduces chlorine levels and removes sediment, dirt, dissolved metals and rust resulting in a substantially improved water taste.

As water passes through the filtration system it re-polarises and when used in household appliances such as kettles and irons can help reduce limescale build up.

Aquifier filters are extremely simple to install and replace with a service interval of up to 6 months for a family of five. Capacity 5600 litres /1500 gallons.



Ref. AT2002
Replacement Filter
for Taps and Switch £34



Simple installation using pushfit connectors





Circular Swich
 Ref. AT1162 Chrome £149
 Ref. AT1163 Brushed Steel £149
 Ref. AT1164 Antique Bronze £149





Square Swich
 Ref. AT1165 Chrome £149
 Ref. AT1166 Brushed Steel £149





Full Flow - Normal water



Half Flow - Filtered water



The Switch is designed to be installed in the maximum number of positions on your sink and worktops. It can be fitted in the blanking plug hole on your sink, or in a variety of positions within the vicinity of your kitchen tap or sink.



Arnon control detail

Arnon aquifier

The stainless steel **Arnon** filter tap provides a three-way supply of hot, cold and filtered water from the one single lever, proving that style and ingenuity work beautifully together.

Ref. AT2108 Stainless Steel £369

Min. 0.5 bar pressure required



Atlas control detail

Atlas aquifier

Atlas Aquifier combines modern contemporary styling with engineering excellence, filtered water dispensed by simply pushing the cold handle in reverse.

Ref. AT2003

Chrome £319

Ref. AT2004

Brushed Steel £339

Min. 0.3 bar pressure required

Filter Taps abode

Abode Aquifier filter taps dramatically improve the taste, smell and appearance of water offering a clean source of unlimited spring fresh water for you and your family. With unique internal valve operation our Aquifier taps offer water filtration with no need for extra levers or a separate tap.



Flow Type





Neoperl Aerator



Cascade

Neoperl aerators are fitted to provide a non-splash frothy flow.



Gosford control detail

Gosford aquifier

Modern styling meets traditional design with the **Gosford** filter tap that delivers hot, cold and filtered water from this dual handle monobloc.

Ref. AT2005

Chrome £309

Ref. AT2006

Brushed Nickel £329


Ref. AT2007

English Gold £329

Ref. AT2008

Antique Bronze £329

Min. 0.3 bar pressure required



Water Pressure explained - page 131

Finishes



Chrome



Brushed Nickel



English Gold



Antique Bronze




Stainless Steel

Taps Filter




See the difference between unfiltered and filtered water leaving tea tasting so much better.




Ref. 4B8001
Solo Nebula BRITA filter tap
Chrome £199

BRITA filtered water supply only
Can be installed left or right handed operation
Minimum 1.5 bar pressure required
Mounting hole size \varnothing 35mm



Ref. 4B8002
3 Way Rosedale BRITA filter tap
Chrome £349

Hot, Cold and separate BRITA filtered
water supply only
Minimum 1.5 bar pressure required
Mounting hole size \varnothing 35mm



3 Way Titanium BRITA filter tap
Ref. 4B8003 Chrome £349
Ref. 4B8004 Brushed Steel £399

Hot, Cold and separate BRITA filtered
water supply only
Minimum 1.5 bar pressure required
Mounting hole size \varnothing 35mm



The BRITA filter can be installed horizontally or vertically.



Great tasting water, compare the price against bottled water.



Three-way quarter turn technology.



Now you can enjoy the great taste of BRITA filtered water straight from the tap. Thanks to the unique BRITA cartridge fitted under the sink, the new range of BRITA / Pegler water filter taps can give you an unlimited supply of great tasting water, instantly reducing hardness, chlorine and impurities.

Each cartridge delivers 500 litres of filtered water at a fraction of the cost of bottled water - with a big saving on plastic, too.



All Brita/Pegler filter taps feature a handy traffic light system on the taps that tells you when to change the cartridge. And changing couldn't be easier, taking just seconds to unscrew the old cartridge and replace it with a new one.

Cartridge life: 500 litres.

Replacement cartridges are supplied direct from Brita. Approximate cost **£35** each.



Water Pressure explained - page 131

Taps
Filter




Hot Water Taps

Once you have one, you'll wonder how you ever did without it. No kettles, no leads, no clutter, no fuss... Just 98° C of steaming hot and cold filtered water at the flick of a lever. With their elegantly sleek lines, InsinkErator models don't just bring style to the kitchen; they bring a level of convenience that fits today's busy lifestyles.

The GN1100 model produces hot filtered water, while the HC1100 offers both hot and cold filtered water from the same tap. Both feature an unobtrusive filter system under the sink that reduces chlorine, lead, turbidity and other unpleasant tastes and odours.

They only heat the water you use, making the household more energy efficient. The HC1100 tap with the added cold filtered water feature provides a cost effective alternative to buying bottled water.




Ref. F-701R

Replacement filter packs containing 2 filters **£105**



Specifications

- Capacity: Dispenses 100 cups of hot water per hour
- Thermostat: Adjustable from 88°C to 98°C (factory preset 96°C)
- Hot valve: Instant self-closing
- Cold valve: Manual return
- Hole diameter: HC1100 35mm-38mm
GN1100 32mm-38mm
- Required supply pressure: 1.7 to 8.6 bar
- Filter flow rate: 2.84 ltr per min.
- Filter life: 454 litres (120 gallons)



Tap Accessories



Speedfit Tap Tails

No plumbing skills required to fit your tap by using our Speedfit tap connectors. Simply screw the threaded end into your tap and slide the other end on to your copper pipe - job done! There are two diameter sizes so any tap can benefit from these 'no stress' fittings.

Ref. AT1167

10mm x 15mm Pushfit
PVC Tap Tails - Length 600mm
£19 pair (Red/Blue)

Ref. AT1168

12mm x 15mm Pushfit
PVC Tap Tails - Length 600mm
£19 pair (Red/Blue)

Speedfit Connectors

A selection of speedfit connectors that will provide a fast and secure way of connecting your tap tails to your plumbing. To make a connection the tube is simply pushed in by hand to form a perfect waterproof seal.



Ref. PEM0415W

15mm x 15mm
Pushfit Straight
Connector
£6 pair




Ref. PM011514E

15mm Pushfit x 1/2"
BSP male
(12mm length thread)
Straight Connector
£9 pair



Ref. PEMSTC1514

15mm Pushfit x 1/2"
0BSP female
(12mm length thread)
Straight Connector
£9 pair



Tap Support Bracket



A clever bracket that takes the strain off the sink and reduces flexing with stainless steel.

Ref. AX1011

£9